THE PROCESS OF NATURAL SELECTION:

DOES STUDENT UNDERSTANDING DIFFER BETWEEN

RURAL AND URBAN SCHOOLS?

HONORS THESIS

Presented to the Honors Committee of Texas State University in Partial Fulfillment of the Requirements

for Graduation in the Honors College

by

Brent Arthur Baker

San Marcos, Texas May 2014

THE PROCESS OF NATURAL SELECTION:

DOES STUDENT UNDERSTANDING DIFFER BETWEEN

RURAL AND URBAN SCHOOLS?

Thesis Supervisor:

Sandra S. West Moody, Ph.D. Department of Biology

Second Reader:

Julie F. Westerlund, Ph.D. Department of Biology

Approved:

Heather C. Galloway, Ph.D. Dean, Honors College

COPYRIGHT

by

Brent Arthur Baker

2014

FAIR USE AND AUTHOR'S PERMISSION STATEMENT

Fair Use

This work is protected by the Copyright Laws of the United States (Public Law 94-553, section 107). Consistent with fair use as defined in the Copyright Laws, brief quotations from this material are allowed with proper acknowledgement. Use of this material for financial gain without the author's express written permission is not allowed.

Duplication Permission

As the copyright holder of this work I, Brent Arthur Baker, authorize duplication of this work, in whole or in part, for educational or scholarly purposes only.

"There is probably no more original, more complex, and bolder concept in the history of ideas than Darwin's mechanistic explanation of adaptation."

-Ernst Mayr, 1982

TABLE OF CONTENTS

Page

LIST OF TABLES	vii
LIST OF FIGURES	viii
ABSTRACT	ix
INTRODUCTION	1
What is Natural Selection? Importance of Natural Selection Focus of this Study	
METHODS	7
Selection of a Diagnostic Instrument Selection of Study Sites Institutional Review Board Approval Collection and Analysis of Data	
RESULTS	11
DISCUSSION	14
APPENDIX SECTION	16
LITERATURE CITED	

LIST OF TABLES

Table	Page
1. Definitions of "natural selection" from common high school biology textbooks currently adopted by the State Board of Education, Texas Education Agency	2
2. TEKS pertaining to the concept of natural selection	5
3. Items included on Evans and Anderson's 2013 version of the Conceptual Inventory of Natural Selection	8
4. Urban-centric locale code categories	9
5. Study sites and participants	10

LIST OF FIGURES

Figure	Page
1. Darwin's theory of natural selection as summarized by Ernst Mayr	3
2. Mean student score on the Conceptual Inventory of Natural Selection	11
3. Distribution of student scores at rural schools	12
4. Distribution of student scores at urban schools	12
5. Rural and urban student performance on individual items	13

ABSTRACT

The process of natural selection is a pivotal component of modern biology. Because of its significance, this study was conducted to determine if student understanding of natural selection differs between rural and urban schools, potentially revealing a need to modify existing curriculum. Specifically, it was hypothesized that students attending rural schools would possess a significantly better understanding of natural selection than those students attending urban schools because of their more frequent and direct interaction with the natural world. To test this hypothesis, a middle school version of the Conceptual Inventory of Natural Selection was administered to a total of 168 students at two rural schools and two urban schools. Statistical analysis showed that there was no significant difference between the mean score of those students attending rural schools and the mean score of those students attending urban schools. However, both groups scored lower than expected, revealing that it would likely prove beneficial to implement additional environmental-based lessons and activities at both rural and urban schools.

INTRODUCTION

Undoubtedly, the concept of natural selection is one of the most significant ideas ever conceived. It is a cornerstone of modern biology and is essential to understanding how and why the natural world exists in its current state. Yet, few biological concepts are so widely misunderstood—not only among members of the general public, but also among those within the scientific community (Gregory 2009). Before the parameters of this study are discussed, it is important to establish a clear, accurate definition of natural selection.

What is Natural Selection?

Over the past 150 years, the process of natural selection has been phrased in a variety of different ways by a diverse group of scientists. For example, Table 1 on the following page lists the glossary definition of "natural selection" as printed in a sampling of high school biology textbooks currently adopted by the State of Texas. It is important to note that although the wording differs from one textbook to the next, the definitions all generally retain the same meaning.

While others before him (e.g., Wells 1818; Matthew 1831; Blyth 1835) had offered crude or incomplete explanations of the concept, English naturalist Charles Darwin is often credited as the first individual to provide a detailed discussion of the theory of natural selection (Gregory 2009). Set forth in his 1859 book *On the Origin of Species by Means of Natural Selection, or the Preservation of Favoured Races in the Struggle for Life*, Darwin's theory of natural selection can be accurately summarized as a set of five facts and three inferences (Mayr 1982; Mayr 1991). These eight elements are detailed in Figure 1.

1

Textbook	Definition	Reference
Biology, Texas Edition ¹	The differential reproduction of genotypes; caused by factors in the environment; leads to evolutionary change	(Raven and Johnson 2002)
Biology ¹	Differential success in the reproduction of different phenotypes resulting from the interaction of organisms with their environment. Evolution occurs when natural selection causes changes in relative frequencies of alleles in the gene pool	(Campbell and Reece 2003)
Biology: The Dynamics of Life, Texas Edition	Mechanism for change in populations; occurs when organisms with favorable variations survive, reproduce, and pass their variations to the next generation	(Biggs et al. 2004)
Holt Biology, Texas Edition	The process by which individuals that have favorable variations and are better adapted to their environment survive and reproduce more successfully than less well adapted individuals do	(Johnson and Raven 2004)
Prentice Hall Biology, Texas Edition	Process by which individuals that are better suited to their environment survive and reproduce most successfully; also called survival of the fittest	(Miller and Levine 2004)
Biology: The Unity and Diversity of Life, 10 th edition ¹	Microevolutionary process; the outcome of differences in survival and reproduction among individuals that differ in details of heritable traits	(Starr and Taggart 2004)
Texas Glencoe Biology ²	Theory of evolution developed by Darwin, based on four ideas: excess reproduction, variations, inheritance, and the advantages of specific traits in an environment	(Biggs et al. 2015)
Pearson Biology, Texas Edition ²	Process by which organisms that are most suited to their environment survive and reproduce most successfully; also called survival of the fittest	(Miller and Levine 2015)
Texas Biology ²	Mechanism by which individuals that have inherited beneficial adaptations produce more offspring on average than do other individuals	(Nowicki 2015)

Table 1. Definitions of "natural selection" from common high school biology textbooks currently adopted by the State Board of Education, Texas Education Agency

¹ These titles were adopted for use in Advanced Placement (AP) Biology courses.

² These titles were adopted in November 2013 by the State Board of Education under the provisions of Proclamation 2014 and are scheduled to be implemented starting in the 2014-2015 school year. Table format adapted from Gregory 2009.



Figure 1. Darwin's theory of natural selection as summarized by Ernst Mayr. This figure details the five facts and three accompanying inferences of Darwin's theory of natural selection as summarized in 1982 by leading evolutionary biologist Ernst Mayr. Figure adapted from Mayr 1991.

Importance of Natural Selection

On an objective-focused scale, the theory of natural selection possesses value

because it is part of the Texas Essential Knowledge and Skills, or TEKS. The TEKS

outline the curriculum requirements for all major courses taught in Texas public schools.

As with other state and national science standards, students are expected to have a basic understanding of the process of natural selection. Table 2 on the following page highlights those TEKS that address components of natural selection.

Simply because a specific concept is required to be taught in schools does not necessarily guarantee that it has extensive value. The real significance of the theory of natural selection lies in its ability to justify how and why the natural world exists as it does today. For example, natural selection explains why numerous strains of harmful bacteria such as methicillin-resistant *Staphylococcus aureus* (MRSA) and multidrugresistant tuberculosis (MDR-TB) are no longer vulnerable to common antibiotic treatments (Rao 1998; Livermore 2003). Similarly, natural selection has the power to explain how Atlantic tomcod, a species of fish found in the Hudson River, have become immune to polychlorinated biphenyls (PCBs), a category of toxic compounds once dumped into the river hundreds of pounds at a time (Wirgin et al. 2011). Finally, natural selection can explain why deer mice living in the sand hills of Nebraska have, on average, become lighter than those deer mice living in wooded environments (Linnen 2009).

Focus of this Study

Because of their more frequent and direct interaction with the natural world, it would not be implausible to suggest that those individuals growing up in a rural area would intrinsically have a better understanding of natural selection than those individuals living in an urban area. Multiple studies performed within the past couple of decades have plainly demonstrated that there are certain measurable differences between rural and urban schools simply because of their location. For example, a 1995 study conducted by

4

Grade Level & Course	Identifier	Student Expectation
7 th Grade Science	7.11B	The student is expected to explain variation within
		a population or species by comparing external
		features, behaviors, or physiology of organisms
		that enhance their survival such as migration,
a th c l c :	5 110	hibernation, or storage of food in a bulb.
"Grade Science	7.11C	The student is expected to identify some changes
		in genetic traits that have occurred over several
		selective breeding such as the Galapagos
		Medium Ground Finch (<i>Geospiza fortis</i>) or
		domestic animals
7 th Grade Science	7.14A	The student is expected to define heredity as the
		passage of genetic instructions from one
		generation to the next generation.
High School Biology	6E	The student is expected to identify and illustrate
		changes in DNA and evaluate the significance of
		these changes.
High School Biology	7C	The student is expected to analyze and evaluate
		how natural selection produces change in
High Cales I Distance	7D	populations, not individuals.
High School Biology	/D	how the elements of network collection including
		inherited variation, the notential of a nonulation
		to produce more offspring than can survive and
		a finite supply of environmental resources result
		in differential reproductive success.
High School Biology	7E	The student is expected to analyze and evaluate
		the relationship of natural selection to adaptation
		and to the development of diversity in and
		among species.
		Source: 19 Tex. Admin. Code § 112.19 and 112.34

Table 2. TEKS pertaining to the concept of natural selection

Frick, Birkenholz, Gardner, and Machtmes found that students attending rural schools in the Midwest had a significantly better understanding of plant and animal sciences than their counterparts attending urban schools. Similarly, the 2009 National Assessment of Educational Progress, an exam administered to fourth-, eighth-, and twelfth-grade students across the United States, revealed that students attending inner-urban schools consistently scored the lowest on sections addressing physical, life, and earth and space science concepts. Alternatively, students attending schools located in rural areas scored among the highest, especially at the fourth- and eighth-grade levels (National Center for Education Statistics 2009).

Based on this information, it was hypothesized that students attending rural Texas schools would score significantly higher on a natural selection diagnostic test than those students attending urban schools. If this hypothesis is supported, it will demonstrate the importance of incorporating environmental-based lessons into existing curriculum.

METHODS

Selection of a Diagnostic Instrument

To determine if student understanding of natural selection differed significantly between rural and urban schools, a modified version of the Conceptual Inventory of Natural Selection (CINS) was utilized. Originally published in 2002 by D. L. Anderson, K. M. Fisher, and G. J. Norman, the CINS was developed to satisfy the need for an accurate, reliable tool to measure student knowledge of natural selection concepts. The original version of the instrument, which was intended for use in colleges, contains twenty multiple-choice items. Each of the twenty items addresses a specific component of natural selection such as biotic potential, population stability, genetic variation, and limited resource availability.

For this study, a modified version of the original CINS was used. This version, created in 2013 by P. L. Evans and D. L. Anderson, features simplified sentences and lower-level vocabulary, making (for the first time) the instrument appropriate for use with middle school students. In addition, the total number of items was reduced from twenty to ten (Table 3) and superfluous information was eliminated from introductory headers. Apart from these revisions, Evans and Anderson's 2013 version highly resembles the original CINS. Most importantly, it retains the same utility and scientific accuracy of the original version.

Item	Concept Addressed	Correlation to Ernst Mayr's 1982 Summary of
	-	Darwin's Theory of Natural Selection
1	Biotic potential	Fact #1
2	Population stability	Fact #2
3	Limited resource availability	Fact #3
4	Limited survival	Inference #1
5	Presence of variation	Fact #4
6	Source of variation	N/A^1
7	Heritability of variation	Fact #5
8	Differential survival	Inference #2
9	Change in populations	Inference #3
10	Origin of species	Inference #3

 Table 3. Items included on Evans and Anderson's 2013 version of the Conceptual Inventory of Natural Selection

¹ Evans and Anderson (2013) state that this concept is included in the CINS because it is essential for natural selection to act even though, technically, it must occur before natural selection can take place.

Selection of Study Sites

In the United States, each public local education agency (LEA, commonly referred to as a school district) is assigned one of twelve different locale codes (Table 4) based on its geographic proximity to an urbanized area (Phan and Glander 2007). For the purposes of this study, schools belonging to LEAs with locale codes of 33, 41, 42, and 43 were considered "rural schools." Alternatively, schools belonging to LEAs with locale codes of 11, 12, 13, and 21 were considered "urban schools." While this method effectively excluded any schools belonging to LEAs with locale codes of 22, 23, 31, and 32, it ensured that those students participating in the study would accurately reflect rural and urban student populations.

Locale Code	Locale Description	Definition
11	City: Large	Territory inside an urbanized area ¹ and inside a
		principal city with population of 250,000 or more
12	City: Midsize	Territory inside an urbanized area and inside a
		principal city with population less than 250,000
		and greater than or equal to 100,000
13	City: Small	Territory inside an urbanized area and inside a
		principal city with population less than 100,000
21	Suburb: Large	Territory outside a principal city and inside an
		urbanized area with population of 250,000 or
		more
22	Suburb: Midsize	Territory outside a principal city and inside an
		urbanized area with population less than 250,000
22	Cuburk, Caroll	and greater than or equal to 100,000
23	Suburd: Small	urbanized area with nonvolation loss than 100 000
31	Town: Fringe	Tarritory inside an urban cluster that is less than or
51	Town. Thinge	equal to 10 miles from an urbanized area
32	Town: Distant	Territory inside an urban cluster that is more than
52	Town. Distant	10 miles and less than or equal to 35 miles from
		an urbanized area
33	Town: Remote	Territory inside an urban cluster that is more than
		35 miles from an urbanized area
41	Rural: Fringe	Census-defined rural territory that is less than or
	-	equal to 5 miles from an urbanized area, as well as
		rural territory that is less than or equal to 2.5 miles
		from an urban cluster
42	Rural: Distant	Census-defined rural territory that is more than 5
		miles but less than or equal to 25 miles from an
		urbanized area, as well as rural territory that is
		more than 2.5 miles but less than or equal to 10
10		miles from an urban cluster
43	Kural: Remote	Census-defined rural territory that is more than 25
		miles from an urbanized area and is also more than 10 miles from an urban shutter
1		than 10 miles from an urban cluster.

 Table 4. Urban-centric locale code categories

¹ A densely settled core with densely settled surrounding areas

Source: Phan and Glander 2007

Ultimately, four separate public schools (Table 5) were selected based on their availability and willingness to participate in the project. In general, rural schools were much more receptive to the study. It proved especially difficult to secure urban sites because of wide-scale district (six-weeks) and state (STAAR) testing.

Site	School Type	Locale Code	Locale Description	Ν
А	Public, Traditional	42	Rural: Distant	36
В	Public, Traditional	33	Town: Remote	62
С	Public, Charter	11	City: Large	13
D	Public, Traditional	11	City: Large	57

Table 5. Study sites and participants

Source: Phan and Glander 2007

Institutional Review Board Approval

Because this project involved the participation of minors, approval had to be obtained from the Texas State Institutional Review Board. A copy of the approval certificate for this study is located in Appendix A.

Collection and Analysis of Data

Evans and Anderson's middle school version of the CINS was administered to a total of 168 eighth grade students (Table 5). Each participant recorded his or her responses on a Scantron[®] answer document. All of the scores from those students attending rural schools were pooled together and the mean student score was calculated. Similarly, the mean score of all of those students attending urban schools was calculated. Finally, an unpaired, two-tailed t-test was performed to determine if the difference in mean student score between rural and urban schools was significant.

RESULTS

Statistical data analysis revealed that there was no significant difference in mean student score between rural and urban schools (unpaired t-test values: t = -0.4824, df = 166, p = 0.6302). Although on average students attending urban schools scored slightly higher than their counterparts attending rural schools, the difference was negligible (Figure 2; mean student score ± standard error (% correct out of 100): rural = 38.8776 ± 1.3045, urban = 39.8571 ± 1.5563). Individual scores ranged from 10-70 at both rural and urban schools (Figures 3 and 4).



Figure 2. Mean student score on the Conceptual Inventory of Natural Selection. This figure illustrates that there was no significant difference between the mean score of students attending rural and urban schools (error bars represent ± 1 SE; sample sizes: rural = 98, urban = 70).



Figure 3. Distribution of student scores at rural schools. This figure demonstrates that student scores on the CINS ranged from 10-70 at rural locations. The superimposed curve represents a fitted normal distribution.



Figure 4. Distribution of student scores at urban schools. This figure demonstrates that student scores on the CINS ranged from 10-70 at urban locations. The superimposed curve represents a fitted normal distribution.

Students at both rural and urban schools scored the lowest on those items that addressed the source of variation among individuals, the nonrandom characteristic of survival, and the origin of species (items 6, 8, and 10; Figure 5). This was consistent with the findings of Evans and Anderson (2013). Conversely, students at both rural and urban schools scored the highest on item 5 which addressed the presence of variation among individuals.



Figure 5. Rural and urban student performance on individual items. This figure illustrates the percentage of students at both rural and urban schools who responded correctly to each item. Points closer to the center of the diagram represent a weaker understanding of a particular concept while points closer to the outer edges represent a stronger understanding of a particular concept.

DISCUSSION

While the data collected did not support the experimental hypothesis that students attending rural schools would score significantly higher on the CINS than their counterparts attending urban schools, the results of this study are still quite valuable. On average, neither group scored exceptionally well, especially since all students participating in the study *should* have already been introduced to the process of natural selection in the seventh grade (refer back to Table 2). It would likely prove beneficial to incorporate additional environmental-based lessons and activities into the existing curriculum at both rural and urban schools. Supplementing the established curriculum in this manner would undoubtedly enhance student learning, expose more students to nature, and ultimately, lead to an increase in student understanding of natural selection.

One outstanding program that could easily be woven into existing curriculum is Project WILD. Cosponsored by the Council for Environmental Education and the Western Association of Fish and Wildlife Agencies, Project WILD is an environmental education program based "on the premise that young people and educators have a vital interest in learning about [the] natural world" (projectwild.org). Project WILD is composed of more than 100 separate hands-on activities that encourage student exploration and analysis of real-world environmental dilemmas. Critical to this discussion, a comparative study of more than 6,000 students determined that Project WILD is equally effective at increasing student awareness of the environment with both rural and urban student populations (Fleming 1983).

Another effective way to increase student understanding of the natural world is through the implementation of project-based learning. Project-based learning is an

14

inquiry-driven method of teaching in which students gain knowledge by analyzing a particular (and often complex) question or problem over an extended period of time (Markham 2003). Thousands of project-based learning activities can be found through a simple internet search. Examples of assignments that would promote a genuine understanding of natural selection include planting a school garden, landscaping a small area outside the classroom, and creating wildlife habitats on school grounds.

Regardless of how it is achieved, it is imperative that all students develop an accurate understanding of the process of natural selection. Only with this knowledge will they be able to fully appreciate the magnificent intricacies of the natural world.

APPENDIX SECTION

APPENDIX A: CERTIFICATE OF INSTITUTIONAL REVIEW BOARD APPROVAL



LITERATURE CITED

- Anderson, D. L., K. M. Fisher, and G. J. Norman. 2002. Development and evaluation of the Conceptual Inventory of Natural Selection. Journal of Research in Science Teaching 39: 952-978.
- Biggs, A., W. C. Hagins, C. Kapicka, L. Lundgren, P. Rillero, K. G. Tallman, and D. Zike. 2004. Biology: the dynamics of life, Texas edition. Glencoe/McGraw-Hill, Columbus, Ohio, USA.
- Biggs, A., W. C. Hagins, W. G. Holliday, C. L. Kapicka, M. Kilgo, L. Lundgren, A. H. MacKenzie, W. D. Rogers, M. B. Sewer, and D. Zike. 2015. Texas Glencoe biology. McGraw-Hill Education, Columbus, Ohio, USA.
- Blyth, E. 1835. An attempt to classify the "varieties" of animals, with observations on the marked seasonal and other changes which naturally take place in various British species, and which do not constitute varieties. The Magazine of Natural History 8: 40-53.
- Campbell, N. A. and J. B. Reece. 2003. Biology. Pearson Education, Inc., San Francisco, California, USA.
- Darwin, C. 1859. On the origin of species by means of natural selection, or the preservation of favoured races in the struggle for life. John Murray, London, England, UK.
- Evans, P. L. and D. L. Anderson. 2013. The Conceptual Inventory of Natural Selection a decade later: development and pilot testing of a middle school version leads to a revised college/high school version. Paper presented at the National Association for Research in Science Teaching Annual International Conference, Rio Grande, Puerto Rico.
- Fleming, N. L. 1983. Project WILD evaluation: final report of field test. Western Regional Environmental Education Council, Houston, Texas, USA.
- Frick, M. J., R. J. Birkenholz, H. Gardner, and K. Machtmes. 1995. Rural and urban inner-city high school student knowledge and perception of agriculture. Journal of Agricultural Education 36: 1-9.
- Gregory, T. R. 2009. Understanding natural selection: essential concepts and common misconceptions. Evolution: Education and Outreach 2:156-175.
- Johnson, G. B. and P. H. Raven. 2004. Holt biology, Texas edition. Holt, Rinehart and Winston, Austin, Texas, USA.
- Linnen, C. R., E. P. Kingsley, J. D. Jensen, and H. E. Hoekstra. 2009. On the origin and spread of an adaptive allele in deer mice. Science 325: 1095-1098.

- Livermore, D. M. 2003. Bacterial resistance: origins, epidemiology, and impact. Clinical Infectious Diseases 36 (Suppl 1): S11-S23.
- Markham, T. 2003. Project based learning handbook: a guide to standards-focused project based learning for middle and high school teachers, 2nd edition. Buck Institute for Education, Novato, California, USA.
- Matthew, P. 1831. On naval timber and arboriculture; with critical notes on authors who have recently treated the subject of planting. Adam Black, Edinburgh, Scotland, UK.
- Mayr, E. 1982. The growth of biological thought. Harvard University Press, Cambridge, Massachusetts, USA.
- Mayr, E. 1991. One long argument: Charles Darwin and the genesis of modern evolutionary thought. Harvard University Press, Cambridge, Massachusetts, USA.
- Miller, K. R. and J. S. Levine. 2004. Prentice Hall biology, Texas edition. Pearson Prentice Hall, Upper Saddle River, New Jersey, USA.
- Miller, K. R. and J. S. Levine. 2015. Pearson biology, Texas edition. Pearson Education, Inc., Upper Saddle River, New Jersey, USA.
- National Center for Education Statistics. 2009. The nation's report card: science 2009. Institute of Education Sciences, U.S. Department of Education. NSES 2011-451. Washington, District of Columbia, USA.
- Nowicki, S. 2015. Texas biology. Houghton Mifflin Harcourt, Boston, Massachusetts, USA.
- Phan, T. and M. Glander. 2007. Documentation to the NCES Common Core of Data local education agency locale code file: school year 2005-06. National Center for Education Statistics. NCES 2007-388. Institute of Education Sciences, United States Department of Education, Washington, District of Columbia, USA.
- Rao, G. G. 1998. Risk factors for the spread of antibiotic-resistant bacteria. Drugs 55: 323-330.
- Raven, P. H. and G. B. Johnson. 2002. Biology, Texas edition. McGraw-Hill, New York, New York, USA.
- Starr, C. and R. Taggart. 2004. Biology: the unity and diversity of life, 10th edition. Thomson-Brooks/Cole, Belmont, California, USA.
- Wells, W. C. 1818. Two essays: one upon single vision with two eyes; the other on dew. A letter to the Right Hon. Lloyd, Lord Kenyon and an account of a female of the white race of mankind, part of whose skin resembles that of a negro; with some observations on the cause of the differences in colour and form between the white

and negro races of men. Archibald Constable and Co. Edinburgh, London, England, UK.

Wirgin, I., N. K. Roy, M. Loftus, R. C. Chambers, D. G. Franks, and M. E. Hahn. 2011. Mechanistic basis of resistance to PCBs in Atlantic tomcod from the Hudson River. Science 331: 1322-1325.